



Shenzhen Elconi Industry Co.,Ltd
Jiangmen Freeled Light and Electrical Appliances Co.,Ltd

Frameless Led Panel Light



Product Name: Frameless LED Panel Light

Model: HL-PF6060-44W

Specification: Frameless led panel light 600x600x68.5mm/44w/AC220-240V/4000kelvin/110lm/watts

Dimming: Optional

Areas of application:

Interior application/ Decorative domestic lighting/

Wall and ceiling surface mounting

Address 1: 2 floor, B3 building Foxda Industry Park, No2 Lang Jing North road, Pingshan District, Shenzhen
Address 2: 5 floor, 4 building, Fuhua Industry Park, No 189 Gaoxin West road, Jianghai district, Jiangmen city
China Tel:0086-013528827855 0086-0755-83041006 www.facebook.com/freeledpanellight
E-mail: ylc@freeled-lights.com sales@freeled-lights.com www.freeled-lights.com



Shenzhen Elconi Industry Co.,Ltd
Jiangmen Freeled Light and Electrical Appliances Co.,Ltd

Product advance:

The Frameless structural design makes it special and elegant

5mm thickness diffuser with extremely even light output provides homogenous light distribution

Hight lumen output, high CRI>80

With stable quality Philip driver and led SMD chip

Material: Aluminum housing + frosted PMMA diffuser

Parameters details:

Model	CCT (K)	Beam angle(°)	Lumen (lm)	CRI	Lumen efficiency (lm/W)	Input voltage (V AC Hz)	Power (W)
HL-PF-6060-44W	3000K	110	4400	>80	100lm/w	220-240 50/60	44W
	4000K	110	4800	>80	110lm/w	220-240 50/60	
	6000K	110	4800	>80	110lm/w	220-240 50/60	

Others:

Model	driver (set in or out)	Dimming	Class	N.W./PCS		Working temperature		Storage temperature		IP grade
				kg	lb	(°C)	(°F)	(°C)	(°F)	
HL-PF-6060-44W	Set out Philip driver	Optional	II	3.2	7	-10~+45	+14~+113	-20~+60	-4~+140	IP20

Notes:


Testing environment temperature: 25±2°C[77±3.6°F];

Above testing include LED chip and driver




Shenzhen Elconi Industry Co.,Ltd
Jiangmen Freeled Light and Electrical Appliances Co.,Ltd

Product dimension: Length 600mmx Wide 600mm x Height 68.5mm



Statement: Product dimension 600x600mm,595x595mm,620x620mm are available.

Package details:



Package information :

1. **Carton size:** 660*150*675mm;
2. **4pcs/carton;**
3. (N.W.) : 17.2kgs/ctn(without suspending accessories) ;17.8kgs/ctn(with suspending accessories)
4. (G.W.) : 19.5kgs/ctn(without suspending accessories) , 20.1kgs/ctn(with suspending accessores)

Address 1: 2 floor, B3 building Foxda Industry Park, No2 Lang Jing North road, Pingshan District, Shenzhen
Address 2: 5 floor, 4 building, Fuhua Industry Park, No 189 Gaoxin West road, Jianghai district, Jiangmen city
China Tel:0086-013528827855 0086-0755-83041006 www.facebook.com/freeledpanellight
E-mail: ylc@freeled-lights.com sales@freeled-lights.com www.freeled-lights.com



Shenzhen Elconi Industry Co.,Ltd
Jiangmen Freeled Light and Electrical Appliances Co.,Ltd

Product application show:



Address 1: 2 floor, B3 building Foxda Industry Park, No2 Lang Jing North road, Pingshan District, Shenzhen
Address 2: 5 floor, 4 building, Fuhua Industry Park, No 189 Gaoxin West road, Jianghai district, Jiangmen city
China Tel:0086-013528827855 0086-0755-83041006 www.facebook.com/freeledpanellight
E-mail: ylc@freeled-lights.com sales@freeled-lights.com www.freeled-lights.com